




Quick Reference Guide



Note: The DPM5 Quick Reference Guide is intended to be used as a reference for the OEA and its related products. Please refer to the OEA and its related products for more information. This document is a guide only and should not be used as a substitute for the actual product. Thank you.

Table of Contents

| | |
|---|---|
| Adrija Paiešiš - Paiešifraia | 2 |
| Dičagea Paieš | 2 |
| SeaNIBP Ieal | 2 |
| SeAlaLiži | 3 |
| SeSc ee Cfigai (Šada d, T e d , O CRG, La ge F) | 3 |
| Cha geWaf C figai | 4 |
| Cha geWaf O de | 4 |
| Açia e AG/CO ₂ M dle | 5 |
| Rec d Real Time Rec dig Ši | 5 |
| Rec d T e d Table | 5 |
| Rec d NIBP Mea e e | 6 |
| Rec d Ala E e | 6 |

DPI

U

- S
- S
- S

Notes

i f

Set a

U i g

- S
- S
- S
- S

Set Alarm Limits

Using Click Block Label (O_i 1)

- Scroll and select **Parameter** tile
- Scroll and select **Alm HI/Alm LO**
- Scroll to adjust alarm limit
- Scroll and select **Exit** (Main key label)

OR

Select **Menu** key label (O_i 2)

Using Click Block Label

- Scroll and select **System Setup**
- Scroll and select **Alarm Setup**
- Select **Alm Sel**
- Select parameter's **Alm Setup**
- Scroll and select **Alm HI/Alm LO**
- Scroll to adjust alarm limit
- Select **Main** key label

Set Screen Configuration

(Standard, Trends, OxyCRG, or Large Fonts)

Select **Menu** key label

Using Click Block Label

- Scroll and select **System Setup**
- Scroll and select **Face Select**
- Scroll to select screen

DPI

Cha

Selec

c

- S
- S
- S
- S
- S
- S
- S
- S

