-
-




Image
Cine
Measure
Annotate
iWorks
iVocal
Caliper
2D
Doppler
HR
Time
Vel
PS/ED
D Trace
Manual
Volume Flow


Image
Cine
Measure
Annotate
iWorks
iVocal
Abdomen
2D
Doppler
IVC Time


Basic
Advanced
Image
Cine
Measure
Annotate
iWorks
iVocal
Kidney
Renal L
Renal H
Renal W
Cortex
Left
Right

-
-

■ □ □

■



	item/tool is marked with a “√.” (If “√”



-
-
-
-
-
-


Patient
Review
Report
Name
Image(0)
Comments
Measurement
Checklist
ethod
Formula
Value
GA
1
2
3
2D Measurements
GS
Hansmann
4.15cm
9w1d
4.17
4.14

-
-
-

-

$$g \quad g \quad \frac{\pi}{-} \times \quad g \times \quad g \times \quad g$$



■

■

$g \qquad \int_N^N P\ n \quad n/(N-N)$

■

$/(\qquad)$

$$g\,g\quad a\ =\int_{N}^{N}\ \left(P(n)\right)\quad n\Big/\left(N-N\right)$$
$$g\,g\quad a\ =\int_{N}^{N}\ \left(P(n)\right)\quad n\Big/\left(N-N\right)$$
$$PN\ \ g\quad \int_{N}^{N}P(n)\ \ n$$

-
-
-

■

-
-
-
-
-
- θ(

-
-

Vas. Area = π × Vas Diam (cm)

-
-
-

■

□		
□		
□		
□		
□	□	
□		
□	□	

□	□	
□		

-
-
-

⚠


GA (LMP)
21w6d
EDD (LMP)
23/04/2015

-
-
-
-
- □□ □□
-

-
-


Name
2
ID
20141217-213903-9C15
DOB
Image(0)
Age
LMP
17/07/2014
GA
21w6d
EDD(LMP)
23/04/2015
AUA
10w5d
EDD(AUA)
10/07/2015
Measurement
Checklist
GA
Formula
Value
2D Measurements

■

□	□	

□

□ □

■



	≤15 bpm	Reactive FHR ≥ 15 bpm, duration ≥ 15s, ≥ 2 times		
	≥ 2	FM ≥ 3 times (continuous		
	≤ 30s	FBM ≥ 1 times; duration ≥		
		stretch/bend ≥ 1 times		
		≥		

→

-
-
-
-
-

□	□		
□	□ □		

□

Hansmann M, Hackelöer BJ, Staudach A
Ultraschalldiagnostik in Geburtshilfe und Gynäkologie 1985

Studies on Fetal Growth and Functional Developments, Takashi Okai,

Ultrasonic fetal Measurement Standards for an Australian Population, compiled by Susan Campbell Westerway - Faculty of Health Sciences University of Sydney

http://www.asum.com.au/open.home.htm Date: December 2003

B.O. VERBURG, E. A. P. STEEGERS, M. DE RIDDER, R. J.M. SNIJDERS, E. SMITH, A. HOFMAN, H. A. MOLL, V. W. V. JADDOE and J. C. M. WITTEMAN. New charts for ultrasound dating of pregnancy and assessment of fetal growth: longitudinal data from a population-based cohort study. Ultrasound Obstet Gynecol 2008; 31: 388–396 Published online 17 March 2008 in Wiley InterScience (www.interscience.wiley.com). DOI:10.1002/uog.5225

Merz E., Werner G. & Ilan E. T. "Ultrasound in Gynecology and Obstetrics" Textbook and Atlas 312, 326-336. 1991 Georg Thieme Verlag, pp.326~327

Rempen A., 1991 Arztliche Fragen. Biometrie in der Fruhgraviditat (i.Trimenon): 425-430.

Hansmann M., Hackelöer B.J., Staudach A. Ul

Hadlock F.P., et al. Estimating Fetal Age: Computer-Assisted Analysis of Multiple Fetal Growth Parameters. Radiology 1984:152: 497-501

Hansmann, Hackeloer, Staudach, Wittmann. Ultrasound Diagnosis in

Ultrasonic fetal Measurement Standards for an Australian Population. compiled by Susan Campbell Westerway - Faculty of Health Sciences University of Sydney http://www.asum.com.au/open.home.htm Date: December 2003

R. J. M. Snijders and K. H. Niicolaides. Fetal biometry at 14-40 weeks' gestation. Ultrasound Obstet. Gynecol. 4 (1994) 34-48

Merz E., Werner G. & Ilan E. T., 1991
Ultrasound in Gynecology and Obstetrics Textbook and Atlas 312, Georg Thieme Verlag, 326-336.

Hadlock F.P., et al. Estimating Fetal Age: Computer-Assisted Analysis of Multiple Fetal Growth Parameters. Radiology 1984; 152 (No. 2):499.

Jeanty P., Romero R. A longitudinal study of fetal abdominal growth, "Obstetrical Ultrasound." MacGraw-Hill Book Company, 1984.

Chitty L.S., Altman D.G.

British Journal of Obstetrics and Gynaecology January 1994, Vol.101

P29-135.

Ultrasonic fetal Measurement Standards for an Australian Population. compiled by Susan Campbell Westerway - Faculty of Health Sciences University of Sydney http://www.asum.com.au/open.home.htm Date: December 2003

Crequat, J., Duyme, M., Brodaty, G. Biometry 2000. Fetal growth charts by the French College of fetal ultrasonography and the Inserm U 155. Gynecol.Obstet Fertil., Vol. 28 No. 2, 2000, pages 435-455

Chitty L.S. Altman D.G. Hendesson A. Campell S. Charts of fetal size: 3. Abdominal measurements. Br J Obstetric Gynaecology 1994, Vol 101, pages 35-43.

Chitty, L.S., Altman, D.G., Henderson, A., Campbell, S. Charts of fetal size: 3. Abdominal measurements Br.J.Obstet.Gynaecol. Vol. 101 No. 2, 1994, pages 125-131

Hansmann, Hackeloer, Staudach, Wittmann. Ultrasound Diagnosis in Obstetrics and Gynecology Springer- Verlag, New York, 1986, p.431.

Jeanty P., Cousaert E., Cantraine F. Normal Growth of the Abdominal Perimeter. American Journal of Perinatology; Volume 1 Number 2; January 1984;
pages 129-135

R. J. M. Snijders and K. H. Niicolaides. Fetal biometry at 14-40 weeks' gestation. Ultrasound Obstet. Gynecol. 4 (1994) 34-48

Merz E., Werner G. & Ilan E. T., 1991
Ultrasound in Gynaecology and Obstetrics Textbook and Atlas 312, 326-336.

Hansmann M., Hackelöer B.J., Staudach A.
Ultraschalldiagnostik in Geburtshilfe und Gynäkologie 1995

Hadlock F.P., et al. Estimating Fetal Age: Computer-Assisted Analysis of Multiple Fetal Growth Parameters. Radiology 1984; 152 (No. 2):499.

Warda A. H., Deter R. L. & Rossavik, I. K., 1985.
Fetal femur length: a critical re-evaluation of the relationship to menstrual age. Obstetrics and Gynaecology, 66,69-75.

O'Brien G.D., Queenan J.T. (1981)
Growth of the ultrasound femur length during normal pregnancy,
American Journal of Obstetrics and Gynecology 141:833-837.

Jeanty P., Rodesch F., Delbeke D., Dumont J. Estimation of gestational age from
measurements of fetal long bones. Journal of Ultrasound Medicine
February 1984; 3:75-79.

Hohler C., Quetel T. Fetal femur length: equations for computer calculation of gestational age from ultrasound measurements. American Journal of Obstetrics and Gynecology June 15, 1982; 143 (No. 4):479-481.

Keiichi Kurachi, Mineo Aoki
Department of Obstetrics and Gynecology, Osaka University Medical School
Revision 3 (September 1983)

Studies on Fetal Growth and Functional Developments
Takashi Okai, Department of Obstetrics and Gynecology, Faculty of Medicine, Kyushu University, Fukuoka, Japan

University of Sydney. http://www.asum.com.au/open/home.htm Date: December 2003
R. J. M. Snijders and K. H. Niicolaides; Fetal biometry at 14-40 weeks' gestation Ultrasound Obstet. Gynecol. 4 (1994) 34-48

Hansmann M., Hackelöer B.J., Staudach A.
Ultraschalldiagnostik in Geburtshilfe und Gynäkologie 1985

Hill LM, et al. Transverse cerebellar diameter in estimating gestational age in the large for gestational age fetus, Obstet Gynecol 1990; 75:981-985.

*R**. J. M. Snijders a**nd K. H. Niicolaides; Fetal biometry at 14-40 weeks' gestation Ultrasound Obstet. Gynecol. 4 (1994) 34-48*

Fetal Growth Chart Using the Ultrasonotomographic Technique
Keiichi Kurachi, Mineo Aoki
Department of Obstetrics and Gynecology, Osaka University Medical School
Revision 3 (September 1983)

Merz E., Werner G. & Ilan E. T., 1991
Ultrasound in Gynaecology and Obstetrics Textbook and Atlas 312, 326-336.

Jeanty P., Rodesch F., Delbeke D., Dumont J. Estimation of gestational age from
measurements of fetal long bones. Journal of Ultrasound Medicine February 1984;
3:75-79.

Jeanty P., Cousaert E., Cantraine F., Hobbins J.C., Tack B., Struyven J. "A longitudinal Study of fetal limb growth" American Journal of Perinatology; Volume 1; Number 2; January 1984;136-144

Ultrasonic fetal Measurement Standards for an Australian Population, compiled by Susan Campbell Westerway - Faculty of Health Sciences University of Sydney. http://www.asum.com.au/open/home.htm Date: December 2003

Hadlock, Radiology, 1984 152:497-501

Merz E., Werner G. & Ilan E. T., 1991
Ultrasound in Gynaecology and Obstetrics Textbook and Atlas 312, 326-336.

Merz E., Werner G. & Ilan E. T., 1991
Ultrasound in Gynecology and Obstetrics Textbook and Atlas 312, 326-336.

Merz E., Werner G. & Ilan E. T., 1991
Ultrasound in Gynecology and Obstetrics Textbook and Atlas 312, 326-336.

Hansmann M., Hackelöer B.J., Staudach A.
Ultraschalldiagnostik in Geburtshilfe und Gynäkologie 1985

Jeanty P., Cousaert E., Hobbins J.C., Tack B., Bracken M., Cantraine F., "A

longitudinal study of fetal head biometry" American Journal of Perinatology; Volume 1; Number 2; January 1984

Ultrasonic fetal Measurement Standards for an Australian Population. compiled by Susan Campbell Westerway - Faculty of Health Sciences University of Sydney http://www.asum.com.au/open.home.htm Date: December 2003

Hansmann, Hackelöer, Staudach, (Wittmann). Ultrasound Diagnosis in Obstetrics and Gynecology. Springer- Verlag, New York, 1986, p.433

R. J. M. Snijders and K. H. Niicolaides. Fetal biometry at 14-40 weeks' gestation. Ultrasound Obstet. Gynecol. 4 (1994) 34-48

Merz E., Werner G. & Ilan E. T., Ultrasound in Gynaecology and Obstetrics. Textbook and Atlas 1991 Georg Thieme Verlag, 308-338

*Hansmann M., Hackel**ö**er B.J., Staudach A., Ultraschalldiagnostik in Geburtshilfe und Gyn**ä**kologie 1995*

Campbell S., Wilkin D. "Ultrasonic Measurement of Fetal Abdomen Circumference in the Estimation of Fetal Weight." Br J Obstetrics and Gynaecology September 1975; 82 (No. 9):689-697.

Hadlock F.P., Harrist R., et al. Estimation of fetal weight with the use of head, body, and femur measurements - a prospective study. American Journal of Obstetrics and Gynecology February 1, 1985; 151 (No. 3):333-337.

Shepard M., Richards V., Berkowitz R., Warsof S., Hobbins J. An Evaluation of Two Equations for Predicting Fetal Weight by Ultrasound. American Journal of Obstetrics and Gynecology January 1982; 142 (No. 1): 47-54.

Fetal Growth Chart Using the Ultrasonotomographic Technique, Keiichi Kurachi, Mineo Aoki Department of Obstetrics and Gynecology, Osaka University Medical School Revision 3 (September 1983)

Studies on Fetal Growth and Functional Developments, Takashi Okai Department of Obstetrics and Gynecology, Faculty of Medicine, University of Tokyo

Brenner W.E., Edelman D.A., Hendricks C.H. A standard of fetal growth for the United States of America. VOL. 91, NO. 6, JUNE 1998

Hadlock F.P., Harrist R., Martinez-Poyer J. In utero analysis of fetal growth: A sonographic standard. Radiology 1991;181:129-133

Ronald Williams, Robert Creasy, George Cunningham, Warren Hawes, Rank Norris, Michiko Tashiro. Fetal Growth and Perinatal Viability in California. Obstetric & Gynecology Vol. 59, NO. 5, May 1982

Hansmann, Hackeloer, Staudach, Wittmann. Ultrasound Diagnosis in Obstetrics and Gynecology. Springer-Verlag, New York, 1986

Shinozuka N., Okai T., Kohzuma S., Mukubo M., Shih C.T., Maeda T., et al. Formulas for Fetal Weight Estimation by Ultrasound Measurements based on Neonatal Specific Gravities and Volumes. American Journal of Obstetrics and Gynecology 157: 1140-1145; 1987

Manning FA. Dynamic ultrasound-based fetal assessment: the fetal biophysical profile score. Women's Hospital, Department of Obstetrics and Gynecology, Winnipeg, Manitoba, Canada.

Dynamic ultrasound-based fetal Assessment: The Fetal Biophysical Profile Score, Clinical obstetrics and gynecology, Manning FA,38:26-44,1995a.

Thomas R., Moore M.D., Jonathan E., Cayle M.D. The amniotic fluid index in normal human pregnancy. American Journal of Obstetrics and Gynecology May 1990; 162: 1168-1173.

Hadlock, F., Deter, R., Carpenter, R., Park, D. Estimating Fetal Age: effect of Head Shape on BPD. American Journal of Roentgenology, 137: 83-85, July 1981

Hadlock F., Deter R., Harrist R., Roecker E., Park S. A Date-Independent Predictor of Intrauterine Growth Retardation: Femur Length/Abdominal Circumference Ratio American Journal of Roentgenology, 141:979-984, November 1983

Hadlock,F.P., Harrist,R.B., Shah,Y., Park,S.K. The femur length/head circumference relation in obstetric sonography. J Ultrasound Med 1984, 3: 439-442 (Fetal Growth)

Campbell S. Ultrasound Measurement of Fetal Head and Abdomen Circumference Ratio in the Assessment of Growth Retardation. Obstetrics and Gynaecology, Vol 84, 165- 174, March 1977

Hohler C.W., Quetel, T:A: Comparison of Ultrasound Femur Length and Biparietal Diameter in Late pregnancy. American Journal of Obstetrics and Gynecology, volume 14, No. 7: 759-762, 1-Dec.-1981

Kurmanavicius J., Florio I., Wisser J., Hebisch G., Zimmermann R., Muller R. et al. Reference resistance indices of the umbilical, fetal middle cerebral and uterine arteries at 24-42 weeks of gestation. Ultrasound Obstet. Gynecol. 1997;10:112-20.

-
-
-
-
-

■

$$n \qquad h\sigma n \quad \frac{g}{n \quad g}$$

$$g \quad c \quad + \quad n \qquad h\sigma n \quad \frac{g}{(\quad g \quad c \quad g \quad + \quad n \quad g \quad)/}$$

■

$$|\text{IVC Diam. (Insp.)} - \text{IVC Diam. (Expir.)}| / \text{Max}(\text{IVC Diam. (Insp.)}, \text{IVC Diam. (Expir.)}) \times 100\%$$

$$|\text{IVC Diam. (Insp.)} - \text{IVC Diam. (Expir.)}| / \text{Min}(\text{IVC Diam. (Insp.)}, \text{IVC Diam. (Expir.)}) \times 100\%$$

■

Function

■

$$P\ N c b\quad g\quad = \frac{\times\ P\qquad g}{+\ \ P\qquad\ g}$$

■

		= g g a + × N P g

■

■

■

		= g g a + × P g

■

■

■

		$g \quad \pi\times\frac{g}{\quad}\times\sum_{c=} {}_{c} \quad g$ c
□	□	
		$g \quad \pi\times\frac{g}{\quad}\times\sum_{c=} {}_{c} \quad g$ c
□	□	
□	□	□
□	□	□

$$g \quad \pi\times \quad R\{ P \quad {}_{c} \; g \quad P \quad {}_{c} \; g \}\Big/ \times\sum_{c=} \quad {}_{c} \; g \times \; {}_{c} \; g$$

$$g \quad \pi \times \quad R\{ P \ _c \ g \quad P \ _c \ g \} \Big/ \times \sum_{c=} \ _c \ g \times \ _c \ g$$

$$g \quad \pi \times \ P \ _c \ g \Big/ \times \sum_{c=} \ _c \ g$$

$$g \quad \pi \times \ P \ _c \ g \Big/ \times \sum_{c=} \ _c \ g$$

$$g \quad \pi \times \ P \ _c \ g \Big/ \times \sum_{c=} \ _c \ g$$

$$g \quad \pi \times \ P \ _c \ g \Big/ \times \sum_{c=} \ _c \ g$$

$P \ _c$

$P \ _c$

$P \ _c$

$P \ _c$

c

c

■

■

●

-
-
  -
    -
    -
  -
    -
    -
-
-



■

-
-
-
-
-
-
-

-
-
-
-

■

□	□	

□	□	
□	□	
□	□	

■



-
-
  -
  -
  -

-
-
-
-

-
-
-

●

■

■

		$(\quad harb+\quad crb)/$
		$(\quad harb+\quad crb+\quad cabn)/$
		$\frac{\pi}{}(\quad harb)$

		$\frac{\pi}{}$(ha rb) × c rb
		$\frac{\pi}{}$ ha rb× c rb× abn

-
-

□

■

□	□	
□	□	
□	□	
□	□	
□	□	

■

		□	
		□	

-
-
-
-
-

■

□	□	
□	□	
□	□	

■

	□		







-
-
-

- α: the angle be
- β: the angle between BL and IL

		≥60°			≤55°		
		≥60°			>55°		
		[50°,60°)					
		[55°,60°)					
		[50°,55°)					
		[50°,60°)					>

	[43°,50°)			≤77°		
	[43°,50°)			>77°		
	≤42°					
	≤42°					
	≤42°					



ngles of α and β come out.

-
-
-
-
-
-
-